

PHANTOM®

TERMITICIDE-INSECTICIDE

Supplemental Label

FOR GENERAL PEST CONTROL

EPA Reg. No. 241- 392

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For sale to, use and storage by individuals/firms licensed or registered by the state to apply termiticide and general pest control products. States may have more restrictive requirements regarding qualifications of persons using this product. Consult the structural pest control regulatory agency of your state prior to use of this product.

Before applying treatments for this use, read the label affixed to the container for the following additional information: Statement of Ingredients; First Aid; Precautionary Statements; Personal Protective Equipment; Environmental, Physical or Chemical Hazards; Storage and Disposal; Use Directions for Termite Control; Disclaimer. Other than the use directions described in this supplemental label, the use of **Phantom® termiticide-insecticide** is subject to the use precautions and limitations imposed by the label affixed to the container for **Phantom**.

This labeling must be in the possession of the user at the time of application.

USE DIRECTIONS FOR GENERAL PEST CONTROL

GENERAL INFORMATION

Phantom is intended for use by individuals/firms licensed or registered by the state to apply termiticide and general pest control products as a spot or crack and crevice spray for residual pest control. Permitted areas of use include:

Inside houses, apartments or other residential structures, meat, poultry & egg processing & packaging plants, the food/feed and non-food/feed handling areas of food handling establishments and commercial, institutional and warehousing establishments.

Food Handling Establishments include places other than private residences where exposed food is held, processed, prepared or served. These include food service, manufacturing and processing establishments such as restaurants, cafeterias, supermarkets, mills,

processing plants, bakeries, breweries, dairies, meat slaughtering and packing plants and canneries.

Commercial, institutional and warehousing establishments include schools, groceries and supermarkets, restaurants and cafeterias, hotels and motels, hospitals and nursing homes, warehouses and industrial buildings, laboratories, zoos, pet shops, computer facilities, and sewers.

GENERAL PRECAUTIONS FOR GENERAL PEST CONTROL

DO NOT make general surface or space applications such as for pantry pests in cupboards, cabinets or in containers.

DO NOT contaminate food or food contact surfaces.

DO NOT introduce this product into the air during application. Do not apply into heating and air conditioning vents or ducts.

DO NOT apply in occupied rooms.

DO NOT contact treated areas until spray has dried.

Use only in well ventilated conditions. When used in hospitals, ventilate treated rooms for two hours before reoccupying with patients.

DO NOT apply to aircraft cabins.

DO NOT allow for contact to treated areas until spray has dried. Allow treated surfaces to dry before replacing items.

Remove pets and cover or remove pet food/water and fish bowls prior to application.

In zoos, remove animals and cover or remove animal food/water prior to application.

DO NOT apply in patient rooms or in classrooms while occupied.

DO NOT apply water-based sprays where electrical short circuits could occur.

MIXING DIRECTIONS

Dilution Table:

Desired Concentration	Amount of Phantom to make 1 gallon of dilution		Amount of Phantom to make 5 gallon of dilution	
	fl. oz.	mL	fl. oz.	mL
0.50%	3.0	88	15.0	440

Mix the dilution in the following manner:

1. Fill hand-pressurized or power-operated application equipment with 1/2 to 3/4 of the required amount of water.
2. Measure the required amount of **Phantom® termiticide-insecticide**.
3. Add **Phantom** to the sprayer and fill with the remainder of the water.
4. Close sprayer and agitate to insure proper suspension.
5. Re-agitate sprayer before use if spraying is interrupted.

GENERAL PEST CONTROL

Cockroaches*: **Phantom** is effective against American, Asian, brown-banded, German, Oriental, smokybrown, and other cockroach species. Apply a 0.5% dilution as a coarse, low-pressure spot or crack and crevice spray.

*Not approved for use in California.

Ants: **Phantom** is highly effective against household and structure-invading ants, including the following species: acrobat ants, Argentine ants, carpenter ants, odorous house ants, pavement ants, Pharaoh's ant, pyramid ants, and other species. Apply a 0.5% dilution as a coarse, low-pressure spot or crack and crevice spray.

For use only with low-pressure directed spray application equipment. Crack and crevice and spot application shall be limited to a maximum of 0.5%

concentration of active ingredient by weight using a straw tip or pin tip nozzle.

Spot or crack and crevice treatments of **Phantom** dilution should be made to breeding areas, nesting sites, hiding places, runways, and other places where pests are found or likely to infest. Apply to surfaces beneath cabinets, spaces between equipment or expansion joints, surfaces behind sinks, lockers, water pipes, cabinets, or other areas where these pests may hide. Where possible, apply **Phantom** directly to ant nest(s) or nesting site(s), ant trails or ant-infested wood or structural voids.

Do not reapply more often than every four weeks.

Interior Applications in Non-Food Handling Areas

Spot or crack and crevice applications may be made in non-food/feed areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage.

Interior Applications in Food Handling Areas

Food handling areas are areas where food and food products are held, processed, prepared or served. Application in food handling areas of food handling establishments is limited to spot or crack and crevice treatment. The food handling area may not be in operation during application. Exposed food must be covered or removed prior to application. After application all food contact surfaces must be washed with an effective cleaning compound followed by a potable water rinse before resuming food operations. Do not apply directly to food, food packaging or food contact surfaces.

Limited Exterior Application to Structures

Exterior application is limited to spot and crack and crevice treatment where pests enter around doors, windows, eaves, attic vents, and holes in exterior walls where utilities enter. Apply a maximum of 1.2 fl. oz. of dilution per 2 square feet.

© 2005 BASF Corporation
All Rights Reserved

000241.00392.20050215.NVA 2005-04-155-0050.pdf

BASF Corporation
Agricultural Products
26 Davis Drive
Research Triangle Park, NC 27709



The Chemical Company